

Declaration of RoHS & PFOS Conformity

2021.09.10

To minimize the environmental impact and take more responsibility to the earth we live, MechaTronix hereby confirms that the following product series comply with Directive of the European Parliament 2011/65/EU & 2015/863 - ROHS (Restriction of Hazardous Substances) and 2006/122/EC - PFOS (PerFluoroOctane Sulfonates)

Content of Compliance

Lead	<0.1 % by weight (1000 ppm)
Mercury	<0.1 % by weight (100 ppm)
Cadmium	<0.01 % by weight (100 ppm)
Hexavalent Chrome(Cr ⁺⁶)	<0.1 % by weight (1000 ppm)
PBBs	<0.1 % by weight (1000 ppm)
PBDEs	<0.1 % by weight (1000 ppm)
Decabromobiphenyl(DecaBDE)	n.d. (Not Detected)
PFOS	<0.1 % by weight (1000 ppm)
Bis (2-ethylhexyl) phthalate (DEHP)	<0.1 % by weight (1000 ppm)
Butyl benzyl phthalate (BBP)	<0.1 % by weight (1000 ppm)
Dibutyl phthalate (DBP)	<0.1 % by weight (1000 ppm)
Diisobutyl phthalate (DIBP)	<0.1 % by weight (1000 ppm)

Product Series

Please refer to the attached list for details.

Seen the continuous development of new articles, this list will be monthly updated.

For the latest version of RoHS product list, please download the online version on www.led-heatsink.com

Sincerely,



Koen Vangorp

Koen Vangorp
General Manager
MechaTronix Kaohsiung Co, Ltd

CoolFin® series	CoolFin® Giga, CoolFin® Handle Long, CoolFin® Handle Short CoolConnect® LensMount 2X2-01, CoolConnect® LensMount 2X2-02 CoolConnect® Holder 2X2HC-01, CoolConnect® Holder 2X2HC-02 CoolConnect® IP connector M20 2P, CoolConnect® IP connector M20 3P, CoolConnect® IP connector M20 4P
CoolView® 7 series Lenses	CoolView® 7-60 AG, CoolView® 7-90 AG, CoolView® 7-90 BW, CoolView® 7-120 BW
CoolGrow® Horticulture LED Grow Light	CoolGrow® I RRB, CoolGrow® I RRR, CoolGrow® I RREQW, CoolGrow® I 4REQW, CoolGrow® I 3R2EQW, CoolGrow® I 3RBEQW, CoolGrow® I 5RB, CoolGrow® I 3RBEQWFR, CoolGrow® I 3REQWFR
IceLED active LED cooling	IceLED 450, IceLED 550, IceLED Xtra 550, IceLED Ultra, IceLED Xtra Ultra, IceLED Ultra VS
BJB LED Cooling	BJB LED STAR COOLER GH36D 9980-B
Bridgelux LED cooling	LPF5030-B-BRI-ESS, LPF5030-B-BRI-ESR, LPF5050-B-BRI-ESR, LPF8050-B-BRI-ESR, LSB5040-B-BRI-ESS, LSB5040-B-BRI-ESR, LSB7050-B-BRI-ESR, LSB7080-B-BRI-ESS
Xicato LED cooling	XSA-217, XSA-218, XSA-60-M3-B, XSA-61-M3-B, XSA-62-M3-B, XSA-63-M3-B, XSA-64-M3-B, XSA-65-M3-B, XSA-66-M3-B, XSA-67-M3-B, XSA-219-B, XSA-96-M3-B
	XSA-37-M3-B-N, XSA-39-M3-B-N, XSA-38-M3-B-N, XSA-31-M3-B-N, XSA-27-M3-B-N, XSA-54-M3-B-N, XSA-28-M3-B-N
	XLA-15-M3-B-N, XLA-16-M3-B-N
	XSA-298, XSA-215, XSA-216, XSA-299, XSA-212, XSA-213, XSA-300, XSA-301, XSA-302, XSA-97, XSA-98, XSA-305, XSA-303
	XSA-550, XSA-551, XSA-552, XSA-553, XSA-554, XSA-555
	XSA-270 V2, XSA-271 V2, XSA-270-T V2, XSA-271-T V2, XSA-270 V3, XSA-271 V3, XSA-270-T V3, XSA-271-T V3, XSA-274-T V3, TIM XSA-270/271 V3, XSA-315
LED Accessories	CoolConnect® holder COB 38x38, CoolConnect® holder COB 38x38 dual CoolConnect® holder COB 28x28, CoolConnect® holder 2x2MX-01 CoolConnect® holder 2x2MX-02 CoolConnect® Gland 2-pole 01, CoolConnect® Stopper Gland, M6 Cable Gland Wrench, CoolConnect® Inter-01 CoolConnect® M3x4 SUS304 Black, CoolConnect® M3x6 SUS304 Black, CoolConnect® M3x8 SUS304 Black, CoolConnect® M3x16 SUS304 Black, CoolConnect® M4x10 SUS304 Black, CoolConnect® M5x6 SUS304 Black LCM-030-SYNC, LCM-100-SYNC, LCM-300-SYNC, LCM-500-SYNC LCM-030-SYNC25, LCM-100-SYNC25, LCM-300-SYNC25, LCM-500-SYNC25 MTX-SR-25-05, MTX-SR-25-15, MTX-SR-35-05, MTX-SR-35-15, MTX-SR-25-CP, MTX-SR-35-CP TPCM585-ZHA, TGARD500-A1-ZHA, TPCM585-9"x9", TGARD500-A1-12"x18"

High Bay LED Accessories

LBP10EXT-528, LBP10EXT-1128, LBP10COV-528, LBP10COV-1128, LBT10CAP(PAIR),
LBP16EXT-560, LBP16EXT-570, LBP16EXT-1178, LBP16COV-560, LBP16COV-570,
LBP16COV-1178, LBP16CAP(PAIR), LBP17EXT-560, LBP17EXT-570, LBP17EXT-1178,
LBP17COV-1178, LBP17CAP(PAIR), LBP18EXT-550, LBP18EXT-560, LBP18EXT-1168,
LBP18COV-550, LBP18COV-560, LBP18COV-1168, LBP18CAP(PAIR), LBP20EXT-560,
LBP20EXT-570, LBP20EXT-1178, LBP20COV-560, LBP20COV-570, LBP20COV-1178,
LBP20CAP(PAIR)

**** For other products not listed above, please contact our sales representatives for availability**