




LPF8668-ZHC



ø86 - H68 (mm)  
Rth 1.46 °C/W - Power Pd 34W

[MORE PRODUCT DETAILS](#)

## LPF8668-ZHC Philips Fortimo Pin Fin LED Cooler ø86mm


### Mounting Instruction

# PHILIPS

The third Philips Fortimo LED SLM generation is the ideal solution for spot lighting fixtures and highly efficient compact down light luminaires. It is specifically designed for the retail market showcasing retail merchandise in bright and vivid light. This generation is equipped with new Chip-On-Board (COB) LED technology. This technology enables the creation of the most efficient point source Philips LED system available.

#### Mounting indicator marks overview

MechaTronix recommends the use of a high thermal conductive interface between the LED module and the LED cooler. Either thermal grease, a thermal pad or a phase change thermal pad thickness 0.1-0.15mm is recommended. Thermal pads or phase change thermal pads can be pre-applied from MechaTronix.



#### Philips Fortimo SLM Gen4 LED Modules

##### Model names

- Fortimo LED SLM 1100 G4
- Fortimo LED SLM 2000 G4
- Fortimo LED SLM 3000 G4
- Fortimo LED SLM 4500 G4

##### Mounting

- Direct mounting with 2 screws M3 x 6mm
- Green indicator marks